INDEX

Allen, J. E. *see* Amemiya, H. *et al.*

Amemiya, H., Annaratone, B. M. and Allen, J. E. The double sheath associated with electron emission into a plasma containing negative ions, 81

Annaratone, B. M. *see* Amemiya, H. *et al.*

Azechi, H. *see* Hora, H. *et al.*

Bajaj, R. and Malik, S. K. Rayleigh–Bénard convection and pattern formation in magnetohydrodynamics, 529

Bakholdin, I. and Il'ichev, A. Solitary-wave decay in a cold plasma, 569

Bingham, R. *see* Tsytovich, V. N. *et al.*

Blenski, T. *see* Ishikawa, K. *et al.*

Brio, M. *see* Webb, G. M. *et al.*

Bulanov, S. V. *see* Califano, F. *et al.*

Bychkov, V. V. and Stenflo, L. A nonlinear equation for electron surface waves at a plasma boundary, 833

Califano, F., Prandi, R., Pegoraro, F. and Bulanov, S. V. Magnetic-field generation and wave-breaking in collisionless plasmas, 331

Chakraborty, D. and Das, K. P. Stability of ion-acoustic solitons in a multispecies plasma consisting of non-isothermal electrons, 151

Chhajlani, R. K. *see* Sharma, P. K. and Chhajlani, R. K.

Chhajlani, R. K. *see* Soni, G. D. and Chhajlani, R. K.

Chukbar, K. V., Ivanov, A. A. Jr and Smirnov, V. V. Self-consistent EMHD penetration of a magnetic field into a plasma, 761

Cichocki, B. *see* Ishikawa, K. *et al.*

Crawford, J. D. and Knobloch, E. Amplitude equations for coupled electrostatic waves in the limit of weak instability, 159

Dai, W. and Woodward, P. R. Oblique penetration of solar-wind filaments into the magnetosphere, 711

Das, K. P. *see* Chakraborty, D. and Das, K. P.

de Angelis, U. *see* Tsytovich, V. N. *et al.*

de Assis, A. S. *see* Tsypin, V. S. *et al.*

de Azevedo, C. A. *see* Tsypin, V. S. *et al.*

de Juli, M. C. and Schneider, R. S. The dielectric tensor for dusty magnetized plasmas with variable charge on dust particles, 243

Dougherty, J. P. Professor Franz D. Kahn: 1926–1998 (Obituary), 1

Ebrahimi, F. *see* Faghihi, M. and Ebrahimi, F.

Elfimov, A. G. *see* Tsypin, V. S. *et al.*

Elgueta, R. *see* Vega, P. *et al.*

Epstein, R. Review of *Principles of Plasma Spectroscopy*, by Hans R. Griem, 203

Faghihi, M. and Ebrahimi, F. The large-Larmor-radius Rayleigh–Taylor instability, 65

Faucher, P. *see* Peyraud-Cuenca, N. and Faucher, P.

Fedun, V. *see* Yukhimuk, V. *et al.*

Felderhof, B. U. *see* Ishikawa, K. *et al.*

Flå, T. *see* Lundberg, J. and Flå, T.

Forlani, A. *see* Tsytovich, V. N. *et al.*

Gazol, A., Passot, T. and Sulem, P. L. Nonlinear dynamics of obliquely propagating Alfvén waves, 95

Girka, V. O. Excitation of surface-type X modes by charged-particle beams, 413

Glassmeier, K.-H. *see* Motschmann, U. and Glassmeier, K.-H.

Goedbloed, J. P. *see* Nijboer, R. J. *et al.*

Goodman, M. L. A class of driven, dissipative, energy-conserving magnetohydrodynamic equilibria with flow, 587

Graneau, N. *see* Hathaway, G. *et al.*

Graneau, P. *see* Hathaway, G. *et al.*

Hackenberg, P., Mann, G. and Marsch, E. Solitons in multi-ion plasmas, 845

Hathaway, G., Graneau, P. and Graneau, N. Solar-energy liberation from water by electric arcs, 775

Hirose, A. *see* Pogutse, I. O. *et al.*

Hora, H., Azechi, H., Kitagawa, Y., Mima, K., Murakami, M., Nakai, S., Nishihara, K., Takabe, H., Yamanaka, C., Yamanaka, M. and Yamanaka, T. Measured laser fusion gains reproduced by self-similar volume compression and volume ignition for NIF conditions, 743

Il'ichev, A. *see* Bakholdin, I. and Il'ichev, A.

Ishikawa, K., Felderhof, B. U., Blenski, T. and Cichocki, B. Photoabsorption by an ion immersed in a plasma at any temperature, 787

Ivanov, A. A. Jr *see* Chukbar, K. V. *et al.*

Jovanović, D., Pegoraro, F. and Rasmussen, J. J. Tripolar shear-Alfvén vortex structures, 383

Kitagawa, Y. *see* Hora, H. *et al.*

Kneller, M. and Schlickeiser, R. Mode limitation and mode completion in collisionless plasmas, 193

Knobloch, E. *see* Crawford, J. D. and Knobloch, E.

Komatsuda, K. *see* Nakamura, Y. and Komatsuda, K.

Kontar, E. P. *see* Mel'nik, V. N. and Kontar, E. P.

Kryshtal, A. N. Bernstein-wave instability in a collisional plasma with a quasistatic electric field, 469

Kumar, M. *see* Kumar, R. *et al.*

Kumar, N. and Srivastava, K. M. The effect of neutral-gas friction on Alfvén surface waves propagating along a plasma–vacuum interface, 731

Kumar, R., Pandey, H. D., Sharma, R. P. and Kumar, M. Relativistic cross-focusing of two coaxial Gaussian laser beams in a plasma, 811

Lebowitz, J. L. and Rokhlenko, A. Hydrodynamical equation for electron swarms, 861

Lee, S. *see* Serban, A. and Lee, S.

Lifschitz, A. E. *see* Nijboer, R. J. *et al.*

Lin I *see* Vladimirov, S. V. and Lin I

Lundberg, J. and Flå, T. A perturbation method for the Vlasov–Poisson system, 181

Maccari, A. A model equation for non-resonant interacting ion acoustic plasma waves, 275

Malik, H. K., Tripathi, K. D. and Sharma, S. K. Dust acoustic solitons in a magnetized dusty plasma, 265

Malik, S. K. *see* Bajaj, R. and Malik, S. K.

Mann, G. *see* Hackenberg, P. *et al.*

Marsch, E. *see* Hackenberg, P. *et al.*

Mel'nik, V. N. and Kontar, E. P. Gasdynamic description of electron-beam flying-off in a plasma, 49

Mima, K. *see* Hora, H. *et al.*

Motschmann, U. and Glassmeier, K.-H. Dispersion and wave excitation in nongyrotropic plasmas, 111

Mulser, P. *see* Shivamoggi, B. K. and Mulser, P.

Murakami, M. *see* Hora, H. *et al.*

Nakai, S. *see* Hora, H. *et al.*

Nakamura, Y. and Komatsuda, K. Observation of solitary waves in an ion-beam–plasma system, 69

Nijboer, R. J., Goedbloed, J. P. and Lifschitz, A. E. The spectrum of MHD flows about X points, 421

Nishihara, K. *see* Hora, H. *et al.*

Palma, L. *see* Vega, P. *et al.*

Palumbo, L. J. and Platzeck, A. M. Magnetically confined plasma flows with helical symmetry, 449

Pandey, H. D. *see* Kumar, R. *et al.*

Passot, T. *see* Gazol, A. *et al.*

Pegoraro, F. *see* Califano, F. *et al.*

Pegoraro, F. *see* Jovanović, D. *et al.*

Peyraud-Cuenca, N. and Faucher, P. The role of collective effects in the kinetics of a molecular plasma generated by a particle beam. Application to nitrogen, 393

Platzeck, A. M. *see* Palumbo, L. J. and Platzeck, A. M.

Pogutse, I. O., Smolyakov, A. I. and Hirose, A. Magnetohydrodynamic equations for plasmas with finite-Larmor-radius effects, 133

Prandi, R. *see* Califano, F. *et al.*

Ragot, B. R. Nonlinear particle dynamics in a broadband turbulence wave spectrum, 299

Rao, N. N. *see* Singh, S. V. and Rao, N. N.

Rao, N. N. *see* Singh, S. V. *et al.*

Rasmussen, J. J. *see* Jovanović, D. *et al.*

Rokhlenko, A. *see* Lebowitz, J. L. and Rokhlenko, A.

Rottmann, M. and Spatschek, K. H. Spatial structure of a nonlinear wave of stratification, 215

Ruderman, M. S. Structure of small-amplitude quasiparallel magnetohydrodynamic shock waves in plasmas with anisotropic viscosity and thermal conductivity, 695

Schlickeiser, R. *see* Kneller, M. and Schlickeiser, R.

Schneider, R. S. *see* de Juli, M. C. and Schneider, R. S.

Serban, A. and Lee, S. Experiments on speed-enhanced neutron yield from a small plasma focus, 3

Sharma, P. K. and Chhajlani, R. K. Kelvin–Helmholtz instability of a plasma with anisotropic and polytropic pressure laws, 229

Sharma, R. P. *see* Kumar, R. *et al.*

Sharma, S. K. *see* Malik, H. K. *et al.*

Sheridan, T. E. Some properties of large-amplitude, negative-potential solitary waves in a three-component plasma, 17

Shivamoggi, B. K. and Mulser, P. Dielectric screening and stopping power of a test charge moving in a plasma, 819

Shukla, P. K. *see* Singh, S. V. *et al.*

Singh, S. V. and Rao, N. N. Adiabatic dust-acoustic waves with dust-charge fluctuations, 541

Singh, S. V., Rao, N. N. and Shukla, P. K. Nonlinearly coupled Langmuir and dust-acoustic waves in a dusty plasma, 551

Smirnov, V. V. *see* Chukbar, K. V. *et al.*

Smolyakov, A. I. *see* Pogutse, I. O. *et al.*

Soni, G. D. and Chhajlani, R. K. Magnetogravitational instability of a rotating anisotropic plasma with finite-ion-Larmor-radius corrections and generalized polytropic laws, 673

Sosenko, P. P. Energy transfer from particles to low-frequency fields in a non-uniform magnetized plasma, 209

Spatschek, K. H. *see* Rottmann, M. and Spatschek, K. H.

Srivastava, K. M. *see* Kumar, N. and Srivastava, K. M.

Stenflo, L. *see* Bychkov, V. V. and Stenflo, L.

Sulem, P. L. *see* Gazol, A. *et al.*

Swenson, G. W. Jr Review of *Discovery of the Magnetosphere*, edited by C. Stewart Gillmor and John R. Spreiter, 205

Takabe, H. *see* Hora, H. *et al.*

Tripathi, K. D. *see* Malik, H. K. *et al.*

Tsypin, V. S., Elfimov, A. G., de Azevedo, C. A. and de Assis, A. S. Alfvén-wave dissipation and current in strongly elongated tokamaks, 289

Tsytovich, V. N., Bingham, R., de Angelis, U. and Forlani, A. Reply to 'Comment on "Collective effects in bremsstrahlung in plasmas"', 447

Van Eester, D. Modelling RF heating in toroidal geometry: on the discrete bounce spectrum and the continuous bounce average, 627

Vega, P., Palma, L. and Elgueta, R. The L mode in electromagnetic proton-cyclotron waves in plasmas modelled by a Lorentzian distribution function, 29

Vladimirov, S. V. and Lin I Ionizing drift-wave instability in a low-temperature plasma, 581

Voitenko, Y. *see* Yukhimuk, V. *et al.*

Voitenko, Y. M. Three-wave coupling and parametric decay of kinetic Alfvén waves, 497

Voitenko, Y. M. Three-wave coupling and weak turbulence of kinetic Alfvén waves, 515

Webb, G. M., Brio, M. and Zank, G. P. Lagrangian and Hamiltonian aspects of wave mixing in non-uniform media: waves on strings and waves in gas dynamics, 341

Woodward, P. R. *see* Dai, W. and Woodward, P. R.

Yamanaka, C. *see* Hora, H. *et al.*

Yamanaka, M. *see* Hora, H. *et al.*

Yamanaka, T. *see* Hora, H. *et al.*

Yukhimuk, A. *see* Yukhimuk, V. *et al.*

Yukhimuk, V., Voitenko, Y., Fedun, V. and Yukhimuk, A. Generation of kinetic Alfvén waves by upper-hybrid pump waves, 485

Zank, G. P. *see* Webb, G. M. *et al.*